MODIFIED OSWESTRY LOW BACK PAIN DISABILITY QUESTIONNAIRE



Please read: This questionnaire has been designed to give your doctor information as to how your back pack has affected your ability to manage everyday life. Please answer every section, and mark in each section only the ONE box that best describes your condition today.

Na	ame:		Date:	
Si	gnature:			
SECTION 1-PAIN INTENSITY S			CTION 6-STANDING	
J	The pain comes and goes and is very mild.	_		
J	The pain is mild and does not vary much.		I can stand as long as I want without pain.	
J	The pain comes and goes and is moderate.		I have some pain on standing, but it does not increase with time.	
\Box	The pain is moderate and does not vary		I cannot stand for longer than one hour without increasing pain.	
_	much.		I cannot stand for longer than 1/2 hour without increasing pain.	
J	The pain comes and goes and is very		I cannot stand for longer than 10 minutes without increasing pain.	
	severe. The pain is severe and does not vary much.		I avoid standing because it increases the pain right away.	
		SECTION 7-SLEEPING		
	CTION 2-PERSONAL CARE	П	I get no pain in bed.	
_	I would not have to change my way of washing or dressing in order to avoid pain.	\exists	I get pain in bed, but it does not prevent me fromsleeping well.	
J	I do not normally change my way of washing or dressing		Because of pain, my normal night's sleep is reducedby less than	
_	eventhough it causes some pain.	_	1/4.	
	Washing and dressing increases the pain, but I manage not tochange my way of doing it.		Because of pain, my normal night's sleep is reduced by less than 1/2.	
-	Washing and dressing increases the pain and I find it necessary tochange my way of doing it.		Because of pain, my normal night's sleep is reduced by less than 3/4.	
	Because of the pain, I am unable to do some washing and dressingwithout help.		Pain prevents me from sleeping at all.	
	Because of the pain, I am unable to do any washing and dressing without help.	SEC	CTION 8-SOCIAL LIFE	
			My social life is normal and gives me no pain.	
	CTION 3-LIFTING		My social life is normal, but increases the degree ofpain.	
	I can lift heavy weights without extra pain.		Pain has no significant effect on my social life apartfrom limiting	
	I can lift heavy weights, but it causes extra pain.		my more energetic interests, e.g., dancing, etc.	
	Pain prevents me from lifting heavy weights off the floor, but Imanage if they are conveniently positioned (e.g., on a		Pain has restricted my social life and I do not go outvery often.	
	table). Pain prevents me from lifting heavy weights off the		Pain has restricted my social life to my home.	
_	floor.	_	I have hardly any social life because of the pain.	
	Pain prevents me from lifting heavy weights, but I can manage	SEC	CTION 9-TRAVELING	
	lightto medium weights if they are conveniently positioned. I can only lift very light weights at the most.		I get no pain while travelling.	
_	real only lift very light weights at the most.		I get some pain while travelling, but none of my usual forms of travel	
SE	CTION 4-WALKING	_	makes it any worse.	
	I have no pain on walking.		I get extra pain while travelling, but it does not compel me to seek alternative forms of travel.	
⊒	I have some pain on walking, but it does not increase with distance			
	.I cannot walk more than one mile without increasing pain.	_	I get extra pain while travelling, which compels me to seek alternative forms of travel.	
	I cannot walk more than 1/2 mile without increasing pain.		Pain restricts all forms of travel.	
	I cannot walk more than 1/4 mile without increasing pain. I cannot walk at all without increasing pain.		Pain prevents all forms of travel except that done lying down.	
_	T Calliot walk at all without increasing pain.			
	CTION 5-SITTING		CTION 10-CHANGING DEGREE OF PAIN	
	I can sit in any chair as long as I like.		My pain is rapidly getting better.	
	I can only sit in my favorite chair as long as I like.		My pain fluctuates, but is definitively getting better.	
	Pain prevents me from sitting more than one hour.		My pain seems to be getting better, but improvement is slow at present.	
	Pain prevents me from sitting more than 1/2 hour.		My pain is neither getting better nor worse.	
	Pain prevents me from sitting more 10 minutes.		My pain is gradually worsening.	
	I avoid sitting because it increases pain right away.		My pain is rapidly worsening.	
	On the scale helpy places rate from 0 (no nain) to 10 (want in-a-in-	able)		
	On the scale below please rate from 0 (no pain) to 10 (worst imagin- of pain that best reflects the pain you are experiencing with your con-			
			PROVIDER USE ONLY	
	┆┍┥┯╘┙┯╘┙┯╘┙┯╘┙┯╘╸	ــــــــــــــــــــــــــــــــــــــ	Index Score = [sum of all statements	
		1	selected] / (# of sections with a statement	

10

Severe

Ó

None

2

Mild

Moderate

selected x 5)] x 100

Neck Index Score =